RCB Japan Königswinkel 10

D-32825 Blomberg, Germany Phone: +49 (0) 5235 9500-75 Fax: +49 (0) 5235 9500-28 www.phoenix-testlab.de



Certificate

No: 15-210968

Technical Regulations Conformity for **Specified Radio Equipment in Japan**

PHOENIX TESTLAB GmbH, operating as a Registered Certification Body (RCB ID: 204) with respect to Japan, declares that the listed product complies with the Technical Regulations Conformity Certification of Specified Radio Equipment (ordinance of MPT N°. 37, 1981), Article 2, Paragraph 1, Item 19.

> 2.4 GHz IEEE Std. 802.15.4™ RF Transceiver Module with PA/LNA Product description:

Trademark / model name: Microchip / MRF24J40MD; MRF24J40ME

Family name:

Serial No:

Software Release No: Type of emissions: G1D

Frequency and power: ZigBee®: 2405 - 2480 MHz; 16 ch; 4.932 mW/MHz

> Manufacturer: Microchip Technology Inc. 2355 West Chandler Blvd. Address:

Chandler, Arizona 85224-6199 City:

Country:

This certificate is granted to:

Microchip Technology Inc. Certificate holder: 2355 West Chandler Blvd. Address:

City: Chandler, Arizona 85224-6199

Country: **USA**

This certificate has 2 annexes.



Annex 1 to Certificate No 15-210968 of Technical Regulations Conformity for Specified Radio Equipment in Japan



- The validity of this certificate is limited to products, which are equal to the one examined in the type-examination.
- When the holder of this certificate is placing the product on the Japanese market, the product must be affixed with the following Specified Radio Equipment marking:



Remarks and observations:

The following conditions are applicable:

For MRF24J40MD:

- PCB antenna, with a maximum gain of 3.2 dBi for the 2.4 GHz band

For MRF24J40ME:

- Dipole antenna, RFA-02-D3, with a maximum gain of 2 dBi for the 2.4 GHz band
- Dipole antenna, RFA-02-C2M2, with a maximum gain of 2 dBi for the 2.4 GHz band
- Dipole antenna, RFA-02-L2H1, with a maximum gain of 2 dBi for the 2.4 GHz band
- Dipole antenna, RFA-02-L6H1, with a maximum gain of 2 dBi for the 2.4 GHz band
- Dipole antenna, RFA-02-P05, with a maximum gain of 2 dBi for the 2.4 GHz band
- Dipole antenna, RFA-02-P33, with a maximum gain of 2 dBi for the 2.4 GHz band
- Dipole antenna, RFA-02-3-C5H1, with a maximum gain of 3 dBi for the 2.4 GHz band
- Dipole antenna, RFA-02-5-C7H1, with a maximum gain of 5 dBi for the 2.4 GHz band
- Dipole antenna, RFA-02-5-F7H1, with a maximum gain of 5 dBi for the 2.4 GHz band
- Dipole antenna, RN-SMA-7-RP, with a maximum gain of 5 dBi for the 2.4 GHz band
- PIFA antenna, RFA-02-G03, with a maximum gain of 2 dBi for the 2.4 GHz band

Documentation lodged for the type examination:

Testreports:

- SGS Taiwan Ltd.: E2/2015/40054, Jul. 10, 2015

Product documentation:

- Block Diagram
- Bill of Materials
- Photos
- User Manual
- Circuit Diagram
- Placement Drawings
- Antenna Specifications

Technical standards and specifications

The product complies with:

Ordinance Regulating Radio Equipment

- Chapter I, General Provisions
- Chapter II, Transmitting Equipment
- Chapter III, Receiving Equipment
- Chapter IV, Article 49.20

Technical features and characteristics:

The product includes the following features and characteristics:

Modulation method(s):
ZigBee[®]: DSSS

Annex 2 to Certificate No 15-210968 of Technical Regulations Conformity for Specified Radio Equipment in Japan



Please note the following points:

- A person (including a legal person) who was granted the Type Certification (hereafter referred to as "certification dealer" is obliged to prepare and maintain the examination records by Radio Law, Article 38-25, Paragraph 2 and Certification Regulations.
- 2. Please report to us without delay if any item in the application for this Type Certification is to be changed. The Type Certification will become invalid if there is any discrepancy between the contents of the application documents and the fact.
- Please keep all records of complaints against this certified equipment (all those reported to suppliers), and provide them to us for our reference upon request.
- 4. Please take necessary measures against any complaints concerning insuffiency of the equipment or service that influences conformity with technical regulations. Please keep all records of measures you have taken and provide them to us for our reference.
- Market research can be conducted concerning this Type Certification. In such a case, the necessary testing tools should be submitted upon request.

♦ Radio Law, Article 38-25

- 1. A person who was granted the Type Certification (hereafter referred to as "certification dealer") by a registered certification agency shall, when dealing a specified radio equipment based on the construction type pertaining to said Type Certification (hereafter referred to as "certified construction type"), ensure that said radio equipment confirms to said certified construction type).
- A certification dealer shall conduct an examination on the specified radio equipment stated in the preceding paragraph, and prepare and maintain the examination records in accordance with the applicable ministerial ordinance of the Ministry of Internal Affairs and Communications.

♦ Certification Regulations, Article 19

- 1. The items of examination record specified under Article 38-25, Paragraph 2 of Radio Law shall include followings:
 - 1) Type Certification number pertaining to the examination
 - 2) Date and location that the examination took place
 - 3) Name of the person who conducted and is in charge of the examination
 - 4) Name of the specified Radio Equipment which was examined
 - 5) Method of Examination
 - 6) Result of Examination
- 2. The examination record in the preceding paragraph must be stored for 10 years.
- The examination record in the preceding paragraph can be stored by using the recording media of electromagnetic record. In this case, the stored electromagnetic record must be able to be displayed at once with computer or other devices when necessary.